



1155 Series

全塑-1系列

STAT Series Caster (All Plastic)

- ◉無污染 ◉超靜音 ◉防生鏽 ◉彈性佳
- ◉低阻力 ◉轉動靈活 ◉耐衝材質 ◉專利產品
- ◉產品輕量化且堅固耐用
- ◉可另選購有抗菌效果之全效輪或TPR輪
- ◉適用於醫療器材設備、傢俱置物架、食品工廠、學校、辦公室等場所。
- ◉另有不銹鋼材質的五金件可供選擇
- ◉可提供無磁腳輪

- High grade synthetic housing
- Smooth and easy rolling, these casters noticeably reduce the effort to operate equipment
- Highly effective Thread guards prevent failure from strings and other debris.
- Specifically designed for healthcare and institutional applications where silence is essential.
- Corrosion resistant with non-marking wheels
- Ball bearing swivel head
- Directional lock also available
- Stainless steel components are also available
- Magnetic Free Caster also available



▶▶ 特色區 Features



雙煞
Total Lock Brake



定向煞
Directional
Lock Brake



長踏板
Long Pedal



超長踏板
Extra Long Pedal



無磁腳輪
Magnetic Free
Caster



導電輪
E-Conductive

搭配導電輪時，腳架上的車心防塵蓋會做黃色，以做區分
E-conductive wheel,
Precision ball bearing,
Non-marking

▶▶ 輪子選項 Wheel Options



全效輪
Resolute



超級人造膠
TPR on PP Core



導電輪
E-Conductive



鋁芯AQPU
QPU on AL Core



滾珠軸承
Ball Bearing

中管
Plain Bearing



超級人造膠(大圓弧)
TPR on PP Core (Dount)



全效輪(大圓弧)
Resolute (Dount)



▶▶ 底板規格 TOP PLATE SIZE AND BOLT HOLE SPACING

| 規格 Size | 底板尺寸 Top Plate Size | 底板孔距 Bolt Hole Spacing | 安裝尼帽尺寸 Attaching Bolt Size |
|------------|------------------------|---------------------------|-------------------------------|
| 3" | 42X42mm | 32X32mm * | M4/M5 |
| 3" | 60X60mm | 42.5X42.5mm * | M6 |
| 3" | 62X94mm | 45X75mm(高級底板) * | M8 |
| 3" | 69X96mm | 49X74.5mm(斜孔底板) * | M8 |
| 4" 5" | 69X96mm | 45X75mm(高級底板) * | M8 |
| 3" 4" 5" | 69X96mm | 49X74.5mm(斜孔底板) * | M8 |

* 有固定架和定向活動架可供選擇 (Fixed Caster and Directional Swivel Caster is available. Please consult the factory.)

▶▶ 插桿規格 CYLINDRICAL STEM SPECIFICATION

| 規格 Size | 插桿直徑 X 長度 Diameter x Length | 孔位高度 Hole Height | 孔尺寸 Bore Size |
|------------|--------------------------------|---------------------|----------------------------|
| 3" | 11X22mm | — | C型環(Grip Ring) |
| 3" | 11X38mm | — | C型鋼扣環(Grip Ring) |
| 4" 5" | 21.6X56mm | — | C型環(Grip Ring) |
| 4" 5" | 21.5X44.5mm | 25.4mm * | #10 X 24UNC+C型環(Grip Ring) |
| 4" 5" | 28X30mm | 19mm * | M8 |
| 4" 5" | 28X40mm | 19mm * | M8 |

* 有固定架和定向活動架可供選擇 (Fixed Caster and Directional Swivel Caster is available. Please consult the factory.)

▶▶ 絲扣規格 THREADED STEM SPECIFICATION

| 規格 Size | 絲扣牙徑 X 長度 Threaded Size | 規格 Size | 絲扣牙徑 X 長度 Threaded Size |
|------------|----------------------------|------------|----------------------------|
| 3" | 3/8-16UNCX25mm | 3" | M10X15mm |
| 3" | M12X25mm | 4" 5" | 3/8-16UNCX32mm |
| 4" 5" | M12X25mm | 4" 5" | M12X25mm (不鏽鋼SS) |
| 4" 5" | 1/2-12UNCX25mm | 4" 5" | 1/2-20UNCX25mm (不鏽鋼SS) |
| 4" 5" | M16X30mm | | |

▶▶ 空鉚規格 SINGLE BOLT HOLE

| 規格 Size | 孔徑 Centre Hole | 規格 Size | 孔徑 Centre Hole |
|------------|-------------------|------------|-------------------|
| 3" 4" 5" | 10.5mm | 4" 5" | 12.5mm |



| 輪徑×輪寬 Diameter×Width | 規格 Specification | 載重 Load | 材質 Material | 品號 Item No. | | | | 軸承 Bearing | 總高 Overall Height | 偏心距 Offset | 迴旋半徑 Swivel radius |
|---------------------------|------------------------|----------------|-------------------------------------|---------------|---------------|------------------------|-------------------------|---|----------------------|---------------|--|
| | | | | 固定 Fixed | 活動 Swivel | 雙煞 Total Lock Brack | 定向煞 Directional Lock | | | | |
| 75mmx25mm (3"x1") | 四角底板 Plate | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | 1155-03-75-1 | 1155-03-75-2 | 1155-03-75-4 | 1155-03-75-9 | 中管 Plain Bearing | 113mm | 27mm | 活動 64.5mm 煞車(短踏板) 75mm 煞車(長踏板) 88mm Swivel 64.5mm Swivel W/Brake (Short pedal) 75mm Swivel W/Brake (Long pedal) 88mm |
| | 絲扣 Threaded Stem | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-03-75-2 | 1155-03-75-4 | — | 中管 Plain Bearing | 107mm | | |
| | 空鉚 Single Bolt Hole | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-03-75-2 | 1155-03-75-4 | — | 中管 Plain Bearing | 104mm | | |
| | 插桿 Cylindrical Stem | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-03-75-2 | 1155-03-75-4 | — | 中管 Plain Bearing | 104mm | | |
| 75mmx27mm (3"x1") | 四角底板 Plate | 75kgs (165lbs) | 全效輪 Resolute | 1155-03-68-1 | 1155-03-68-2 | 1155-03-68-4 | — | 滾珠軸承 Ball Bearing | 113mm | 27mm | 活動 64.5mm 煞車(短踏板) 75mm 煞車(長踏板) 88mm Swivel 64.5mm Swivel W/Brake (Short pedal) 75mm Swivel W/Brake (Long pedal) 88mm |
| | | 65kgs (143lbs) | 導電輪 E-conductive | 1155-03-17-1 | 1155-03-17-2 | 1155-03-17-4 | — | 滾珠軸承 Ball Bearing | | | |
| | | 75kgs (165lbs) | 超級人造膠 TPR on PP Core | 1155-03-75-1 | 1155-03-75-2 | 1155-03-75-4 | — | 滾珠軸承 Ball Bearing | | | |
| | 絲扣 Threaded Stem | 75kgs (165lbs) | 全效輪 Resolute | — | 1155-03-68-2 | 1155-03-68-4 | — | 滾珠軸承 Ball Bearing | 107mm | | |
| | | 65kgs (143lbs) | 導電輪 E-conductive | — | 1155-03-17-2 | 1155-03-17-4 | — | 滾珠軸承 Ball Bearing | | | |
| | | 75kgs (165lbs) | 超級人造膠 TPR on PP Core | — | 1155-03-75-2 | 1155-03-75-4 | — | 滾珠軸承 Ball Bearing | | | |
| | 空鉚 Single Bolt Hole | 75kgs (165lbs) | 全效輪 Resolute | — | 1155-03-68-2 | 1155-03-68-4 | — | 滾珠軸承 Ball Bearing | 104mm | | |
| | | 65kgs (143lbs) | 導電輪 E-conductive | — | 1155-03-17-2 | 1155-03-17-4 | — | 滾珠軸承 Ball Bearing | | | |
| | | 75kgs (165lbs) | 超級人造膠 TPR on PP Core | — | 1155-03-75-2 | 1155-03-75-4 | — | 滾珠軸承 Ball Bearing | | | |
| | 插桿 Cylindrical Stem | 75kgs (165lbs) | 全效輪 Resolute | 1155-03-68-1 | 1155-03-68-2 | 1155-03-68-4 | — | 滾珠軸承 Ball Bearing | 104mm | | |
| | | 65kgs (143lbs) | 導電輪 E-conductive | 1155-03-17-1 | 1155-03-17-2 | 1155-03-17-4 | — | 滾珠軸承 Ball Bearing | | | |
| | | 75kgs (165lbs) | 超級人造膠 TPR on PP Core | 1155-03-75-1 | 1155-03-75-2 | 1155-03-75-4 | — | 滾珠軸承 Ball Bearing | | | |
| 100mmx24mm (4"x15/16") | 四角底板 Plate | 60kgs (132lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing | 141mm | 36mm | 活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 60kgs (132lbs) | 經典全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管 Plain Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| | | 90kgs (198lbs) | 全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 導電輪 E-conductive | 1155-04-17-1 | 1155-04-17-2 | 1155-04-17-4 | 1155-04-17-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| | | 90kgs (198lbs) | 鋁芯AQPU QPU on AL Core | 1155-04-87-1 | 1155-04-87-2 | 1155-04-87-4 | 1155-04-87-9 | 滾珠軸承 Ball Bearing | | | |
| | | 80kgs (176lbs) | 超級人造膠(大圓弧) TPR on PP Core(Dount) | 1155-04-110-1 | 1155-04-110-2 | 1155-04-110-4 | 1155-04-110-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 全效輪(大圓弧) Resolute(Dount) | 1155-04-111-1 | 1155-04-111-2 | 1155-04-111-4 | 1155-04-111-9 | 滾珠軸承 Ball Bearing | | | |



| 輪徑×輪寬 Diameter×Width | 規格 Specification | 載重 Load | 材質 Material | 品號 Item No. | | | | 軸承 Bearing | 總高 Overall Height | 偏心距 Offset | 迴旋半徑 Swivel radius |
|---------------------------|------------------------------|-------------------------------------|---------------------------|---------------|---------------|------------------------|---|---------------------------|----------------------|---------------|--|
| | | | | 固定 Fixed | 活動 Swivel | 雙煞 Total Lock Brack | 定向煞 Directional Lock | | | | |
| 100mmx24mm (4"x15/16") | 絲扣 Threaded Stem | 60kgs (132lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 滾珠軸承 Ball Bearing | 139mm | 36mm | 活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 60kgs (132lbs) | 經典全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | — | 滾珠軸承 Ball Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 中管 Plain Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 中管(無防塵蓋) Plain Bearing | | | |
| 90kgs (198lbs) | | 全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | — | 滾珠軸承 Ball Bearing | | | | |
| 80kgs (176lbs) | | 經典全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | — | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 導電輪 E-conductive | — | 1155-04-17-2 | 1155-04-17-4 | — | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 80kgs (176lbs) | | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 80kgs (176lbs) | | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | — | 中管(無防塵蓋) Plain Bearing | | | | |
| 90kgs (198lbs) | | 鋁芯AQPU QPU on AL Core | — | 1155-04-87-2 | 1155-04-87-4 | — | 滾珠軸承 Ball Bearing | | | | |
| 80kgs (176lbs) | | 超級人造膠(大圓弧) TPR on PP Core(Dount) | — | 1155-04-110-2 | 1155-04-110-4 | — | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | 全效輪(大圓弧) Resolute (Dount) | — | 1155-04-111-2 | 1155-04-111-4 | — | 滾珠軸承 Ball Bearing | | | | | |
| 100mmx24mm (4"x15/16") | 空鉚 Single Bolt Hole | 60kgs (132lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing | 138mm | | |
| | | 60kgs (132lbs) | 經典全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管 Plain Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| 90kgs (198lbs) | | 全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 80kgs (176lbs) | | 經典全效輪 Resolute | — | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 導電輪 E-conductive | — | 1155-04-17-2 | 1155-04-17-4 | 1155-04-17-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 80kgs (176lbs) | | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 80kgs (176lbs) | | 經典超級人造膠 TPR on PP Core | — | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | | |
| 90kgs (198lbs) | | 鋁芯AQPU QPU on AL Core | — | 1155-04-87-2 | 1155-04-87-4 | 1155-04-87-9 | 滾珠軸承 Ball Bearing | | | | |
| 80kgs (176lbs) | | 超級人造膠(大圓弧) TPR on PP Core(Dount) | — | 1155-04-110-2 | 1155-04-110-4 | 1155-04-110-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | 全效輪(大圓弧) Resolute(Dount) | — | 1155-04-111-2 | 1155-04-111-4 | 1155-04-111-9 | 滾珠軸承 Ball Bearing | | | | | |



| 輪徑×輪寬 Diameter×Width | 規格 Specification | kg 載重 Load | Material | 品號 Item No. | | | | 軸承 Bearing | 總高 Overall Height | 偏心距 Offset | 迴旋半徑 Swivel radius |
|-----------------------------|------------------------------|------------------|-------------------------------------|---------------|---------------|------------------------|-------------------------|---|----------------------|---------------|--|
| | | | | 固定 Fixed | 活動 Swivel | 雙煞 Total Lock Brack | 定向煞 Directional Lock | | | | |
| 100mmx24mm (4"x15/16") | 插桿 Cylindrical Stem | 60kgs (132lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing | 138mm | 36mm | 活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 60kgs (132lbs) | 經典全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管 Plain Bearing | | | |
| | | 50kgs (110lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| 100mmx31mm (4"x1-1/4") | | 90kgs (198lbs) | 全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | 1155-04-68-1 | 1155-04-68-2 | 1155-04-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 導電輪 E-conductive | 1155-04-17-1 | 1155-04-17-2 | 1155-04-17-4 | 1155-04-17-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-04-75-1 | 1155-04-75-2 | 1155-04-75-4 | 1155-04-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| | | 90kgs (198lbs) | 鋁芯AQPU QPU on AL Core | 1155-04-87-1 | 1155-04-87-2 | 1155-04-87-4 | 1155-04-87-9 | 滾珠軸承 Ball Bearing | | | |
| | | 80kgs (176lbs) | 超級人造膠(大圓弧) TPR on PP Core(Dount) | 1155-04-110-1 | 1155-04-110-2 | 1155-04-110-4 | 1155-04-110-9 | 滾珠軸承 Ball Bearing | | | |
| 90kgs (198lbs) | 全效輪(大圓弧) Resolute (Dount) | 1155-04-111-1 | 1155-04-111-2 | 1155-04-111-4 | 1155-04-111-9 | 滾珠軸承 Ball Bearing | | | | | |
| 125mmx24.5mm (5"x31/32") | 四角底板 Plate | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing | 166mm | 38mm | 活動100.5mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 100.5mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管 Plain Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| 125mmx31mm (5"x1-1/4") | | 100kgs (220lbs) | 全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 經典全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 100kgs (220lbs) | 導電輪 E-conductive | 1155-05-17-1 | 1155-05-17-2 | 1155-05-17-4 | 1155-05-17-9 | 滾珠軸承 Ball Bearing | | | |
| | | 100kgs (220lbs) | 超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 90kgs (198lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | |
| | | 90kgs (198lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| | | 100kgs (220lbs) | 鋁芯AQPU QPU on AL Core | 1155-05-87-1 | 1155-05-87-2 | 1155-05-87-4 | 1155-05-87-9 | 滾珠軸承 Ball Bearing | | | |
| | | 90kgs (198lbs) | 超級人造膠(大圓弧) TPR on PP Core(Dount) | 1155-05-110-1 | 1155-05-110-2 | 1155-05-110-4 | 1155-05-110-9 | 滾珠軸承 Ball Bearing | | | |
| 100kgs (220lbs) | 全效輪(大圓弧) Resolute(Dount) | 1155-05-111-1 | 1155-05-111-2 | 1155-05-111-4 | 1155-05-111-9 | 滾珠軸承 Ball Bearing | | | | | |



| 輪徑×輪寬 Diameter×Width | 規格 Specification | 載重 Load | 材質 Material | 品號 Item No. | | | | 軸承 Bearing | 總高 Overall Height | 偏心距 Offset | 迴旋半徑 Swivel radius |
|-----------------------------|-----------------------------|-------------------------------------|---------------------------|---------------|---------------|------------------------|---|---------------------------|----------------------|---------------|--|
| | | | | 固定 Fixed | 活動 Swivel | 雙煞 Total Lock Brack | 定向煞 Directional Lock | | | | |
| 125mmx24.5mm (5"x31/32") | 絲扣 Threaded Stem | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 滾珠軸承 Ball Bearing | 164mm | 38mm | 活動100.5mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | - | 滾珠軸承 Ball Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 中管 Plain Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 中管(無防塵蓋) Plain Bearing | | | |
| 100kgs (220lbs) | | 全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | - | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 經典全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | - | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 導電輪 E-conductive | - | 1155-05-17-2 | 1155-05-17-4 | - | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | - | 中管(無防塵蓋) Plain Bearing | | | | |
| 100kgs (220lbs) | | 鋁芯AQP QPU on AL Core | - | 1155-05-87-2 | 1155-05-87-4 | - | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 超級人造膠(大圓弧) TPR on PP Core(Dount) | - | 1155-05-110-2 | 1155-05-110-4 | - | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | 全效輪(大圓弧) Resolute(Dount) | - | 1155-05-111-2 | 1155-05-111-4 | - | 滾珠軸承 Ball Bearing | | | | | |
| 125mmx24.5mm (5"x31/32") | 空鉚 Single Bolt Hole | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing | 163mm | 38mm | Swivel 100.5mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管 Plain Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| 100kgs (220lbs) | | 全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 經典全效輪 Resolute | - | 1155-05-68-2 | 1155-05-68-4 | 1155-04-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 導電輪 E-conductive | - | 1155-05-17-2 | 1155-05-17-4 | 1155-04-17-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-04-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | - | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | | |
| 100kgs (220lbs) | | 鋁芯AQP QPU on AL Core | - | 1155-05-87-2 | 1155-05-87-4 | 1155-04-87-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 超級人造膠(大圓弧) TPR on PP Core(Dount) | - | 1155-05-110-2 | 1155-05-110-4 | 1155-04-110-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | 全效輪(大圓弧) Resolute(Dount) | - | 1155-05-111-2 | 1155-05-111-4 | 1155-04-111-9 | 滾珠軸承 Ball Bearing | | | | | |



|  輪徑×輪寬 Diameter×Width | 規格 Specification |  載重 Load |  材質 Material |  品號 Item No. | | | |  軸承 Bearing |  總高 Overall Height |  偏心距 Offset |  迴旋半徑 Swivel radius |
|--|-----------------------------|---|---|---|---------------|------------------------|---|--|---|--|--|
| | | | | 固定 Fixed | 活動 Swivel | 雙煞 Total Lock Brack | 定向煞 Directional Lock | | | | |
| 125mmx24.5mm (5"x31/32") | 插桿 Cylindrical Stem | 80kgs (176lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing | 163mm | 38mm | 活動100.5mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 100.5mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm |
| | | 80kgs (176lbs) | 經典全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管 Plain Bearing | | | |
| | | 70kgs (154lbs) | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | |
| 100kgs (220lbs) | | 全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 經典全效輪 Resolute | 1155-05-68-1 | 1155-05-68-2 | 1155-05-68-4 | 1155-05-68-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 導電輪 E-conductive | 1155-05-17-1 | 1155-05-17-2 | 1155-05-17-4 | 1155-05-17-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | | 超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 滾珠軸承 Ball Bearing 中管 Plain Bearing | | | | |
| 90kgs (198lbs) | | 經典超級人造膠 TPR on PP Core | 1155-05-75-1 | 1155-05-75-2 | 1155-05-75-4 | 1155-05-75-9 | 中管(無防塵蓋) Plain Bearing | | | | |
| 100kgs (220lbs) | | 鋁芯AQPU QPU on AL Core | 1155-05-87-1 | 1155-05-87-2 | 1155-05-87-4 | 1155-05-87-9 | 滾珠軸承 Ball Bearing | | | | |
| 90kgs (198lbs) | | 超級人造膠(大圓弧) TPR on PP Core(Dount) | 1155-05-110-1 | 1155-05-110-2 | 1155-05-110-4 | 1155-05-110-9 | 滾珠軸承 Ball Bearing | | | | |
| 100kgs (220lbs) | 全效輪(大圓弧) Resolute(Dount) | 1155-05-111-1 | 1155-05-111-2 | 1155-05-111-4 | 1155-05-111-9 | 滾珠軸承 Ball Bearing | | | | | |