



1110-2 Series Caster For Furniture



- Pressed steel caster horn/housing designed to swivel easily under load. Good performance center brake that lock the wheel securely. Equipped with high resilient Polyurethane wheel with hardness rated at 80 ± 5 Shore A, these casters are mainly used on the office chair and other office equipments. These casters enable the chair/equipments glide smoothly on various floor surfaces.

Load
30 - 50 kg



» Features



Cylindrical



Threaded



Center Brake



Thread Guard (optinal)



Various Color Available



» Application

Apply to various floor surfaces



Wood Floor

Epoxy Floor

Carpets

Concrete Floor

Marble Floor

Tile Floor

- Swivel easily under load
- Quiet Rolling
- Smooth and easy rolling
- Apply to various floor surfaces
- The wheel comes in six colors.
- Center Lock Brake also available.



» Wheel Options



PU Wheel (Black)



PU Wheel (Grey)



PU Wheel (White)



PU Wheel (Blue)



PU Wheel (Red)



PU Wheel (Pink)



Ball Bearing








» CYLINDRICAL STEM SPECIFICATION

Suffix	Diameter x Length	Hole Height	Bore Size
2", 2.5", 3"	11 x 22 mm	—	Grip Ring

» THREADED STEM SPECIFICATION

Suffix	Threaded Size
2", 2.5", 3"	M8 x 15 mm



 Diameter×Width	 Load	 Material	 Item No.			 Bearing	 Overall Height	 Swivel radius
			Fixed	Swivel	Brake			
48mm x 23.5mm (1-7/8" x 7/8")	30 kgs (66 lbs)	PU Wheel(Black)	-	1110-2-02-116-2-BK	1110-2-02-116-3-BK	Ball Bearing	Total height (Threaded stem) 68 mm Total height (Cylindrical stem) 65 mm	Swivel 44 mm Swivel W/Side Brake 72 mm
		PU Wheel(Grey)	-	1110-2-02-116-2-G	1110-2-02-116-3-G			
		PU Wheel(White)	-	1110-2-02-116-2-W	1110-2-02-116-3-W			
		PU Wheel(Blue)	-	1110-2-02-116-2-BL	1110-2-02-116-3-BL			
		PU Wheel(Red)	-	1110-2-02-116-2-R	1110-2-02-116-3-R			
		PU Wheel(Pink)	-	1110-2-02-116-2-P	1110-2-02-116-3-P			
64mm x 23.5mm (2-1/2" x 7/8")	40 kgs (88 lbs)	PU Wheel(Black)	-	1110-2-25-116-2-BK	1110-2-25-116-3-BK	Ball Bearing	Total height (Threaded stem) 83 mm Total height (Cylindrical stem) 80 mm	Swivel 53 mm Swivel W/Side Brake 72 mm
		PU Wheel(Grey)	-	1110-2-25-116-2-G	1110-2-25-116-3-G			
		PU Wheel(White)	-	1110-2-25-116-2-W	1110-2-25-116-3-W			
		PU Wheel(Blue)	-	1110-2-25-116-2-BL	1110-2-25-116-3-BL			
		PU Wheel(Red)	-	1110-2-25-116-2-R	1110-2-25-116-3-R			
		PU Wheel(Pink)	-	1110-2-25-116-2-P	1110-2-25-116-3-P			
76mm x 23.5mm (3" x 7/8")	50 kgs (110 lbs)	PU Wheel(Black)	-	1110-2-03-116-2-BK	1110-2-03-116-3-BK	Ball Bearing	Total height (Threaded stem) 97 mm Total height (Cylindrical stem) 94 mm	Swivel 60 mm Swivel W/Side Brake 76 mm
		PU Wheel(Grey)	-	1110-2-03-116-2-G	1110-2-03-116-3-G			
		PU Wheel(White)	-	1110-2-03-116-2-W	1110-2-03-116-3-W			
		PU Wheel(Blue)	-	1110-2-03-116-2-BL	1110-2-03-116-3-BL			
		PU Wheel(Red)	-	1110-2-03-116-2-R	1110-2-03-116-3-R			
		PU Wheel(Pink)	-	1110-2-03-116-2-P	1110-2-03-116-3-P			

